



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Corvus corax principalis. NORTHERN RAVEN.—1909, Nov. 7, one shot — mounted and is in a private collection.

Hesperiphona vespertina vespertina. EVENING GROSBEAK.—1909, a flock numbering between 30 and 40 remained in and about the village for about 3 weeks—were first seen April 1, last seen April 18. 1911. A flock of 5 were first seen March 27, and were seen three or four times for a week. 1913. A flock of 25 or 30 were first seen January 1, and have been seen many times by many observers on different dates—were last seen by myself April 20.

Passerherbulus henslowi. HENSLOW'S SPARROW.—Nested in 1909, 1911, 1912.

Dendroica tigrina. CAPE MAY WARBLER.—1912, a large migration during May—the only migration observed in 10 years. One was found dead which was mounted and is in a private collection.

Icteria virens virens. YELLOW-BREASTED CHAT.—1912, June, one pair nested.

Penthestes hudsonicus hudsonicus. HUDSONIAN CHICKADEE.—1912, Dec. 26, one seen.—LUCRETIVS H. ROSS, M. D., *Bennington, Vermont.*

Some Birds of Southwestern Missouri.—Bewick's Wren (*Thryomanes bewicki bewicki*) prior to 1907 had not been listed from the western central section of Missouri. It was not seen by W. E. D. Scott, neither was it mentioned in Mr. Widmann's catalogue of Missouri birds issued several years ago. The species is apparently extending its range as the following notes would indicate.

May 30, 1907. Saw two specimens.

March 24, 1909. Saw and heard half a dozen Bewick's Wrens.

March 29, 1909. Saw Bewick's Wren to-day and have seen numbers since the 24th.

April 21, 1910. Saw one carrying twigs into a paste-board box on top of a trash heap. (The nest was destroyed later.)

April 2, 1912. Heard two or three to-day.

April 12, 1912. Have heard several each day since the 2nd.

April 27, 1912. Have heard several each day since the 12th.

May 19, 1912. Have heard them occasionally since the last record

June 3, 1912. Heard one to-day,—the only one since May 19.

June 22, 1912. Heard one to-day. (Must be nesting.)

March 20, 1913. Saw and heard one to-day.

May 21, 1913. Have seen and heard a number since March 20.

The Evening Grosbeak (*Hesperiphona vespertina vespertina*) has been considered a rare bird in Missouri. My first record is Jan. 31, 1911, when three males were seen. They were observed in varying numbers from three to thirteen a number of times, until April 27, the last record.

Red Crossbills were seen almost daily between the dates of February 23, 1911, and March 24, 1911. This was a small flock numbering only five or six.—A. F. SMITHSON, *Warrensburg, Johnson Co., Mo.*